

GRANDSTAND® MULTI FORCE®

STAND-ON MOWER SPECIFICATIONS





EZ VAC POWERED BAGGER

The patent-pending side-mounted Soft Twin Bagger has a large 10 cu. ft. (8 bushel) (0.28 m³) capacity and the vertically-mounted blower allows for excellent maneuverability in tight spaces and maximum visibility.

EASILY REMOVABLE

Bagger frame conveniently removes with three pins and one bolt, while bagger removes simply with one pin and a latch.

The side-mounted bagger offers a smaller width dimension.

SIDE-MOUNTED

Only stand-on machine with a side bagger to provide maximum visibility and excellent maneuverability.

BELT-DRIVEN

The blower/bagger system engages automatically with no additional engine required.



PRO FORCE® BLOWER

The Pro Force Blower has a 360° nozzle rotation and utilizes the MULTI FORCE 26.5 hp Kohler® Command Pro™ EFI engine to deliver tremendous air power for fast removal of grass clippings, leaves, or other debris.

EFFICIENT TURBINE-TYPE ASSEMBLY DESIGN

For greater air flow to move debris farther and finish the job faster. Rated at 7800 CFM.

DURABLE NOZZLE

Heavy-duty, single-piece rotomolded plastic nozzle resists impacts.

360° MOVEMENT

Nozzle and lower shield rotate 360° to give ultimate debris control. Easy directional control at your fingertips using the low flow controls and PTO switch.



BOSS® PLOW

Available 5 ft. (1.5m) BOSS plow designed with productivity, durability, and operator safety in mind.

HIGH BLADE LIFT

With 30° lift height for superior snow-stacking.

FULL HYDRAULIC PLOW

Increase speed and efficiency with the low flow hydraulic package.

EXCEPTIONAL GROUND CLEARANCE

Will allow your unit to remain trail compatible.

CONTRACTOR-GRADE PLOW

Tough and rugged poly straight-blade*.





TINE RAKE DETHATCHER

Turn your mower into the ultimate spring clean-up tool with MULTI FORCE® front-mount tine rake dethatchers. Use the rake to remove thatch, embedded leaves and debris.

DOUBLE DUTY

Use throughout growing season to control thatch accumulation and reduce turf disease.

BORN TO PERFORM

Promote root development and make room for thicker turf, rake in seeds to accelerate germination, and clean up fall grass for a picture-perfect lawn.

QUICK-ATTACH SYSTEM

Easily attach with mount bar and two clevis pins.



HOOKER AERATOR

Puncture up to six holes per square foot with the 38" wide aerator. Tines pierce deep into the soil, hooking and lifting loose plugs of dirt that disperse quickly, spreading nutrients over the surface.

BORN TO PERFORM

Bring efficiency to a new level and aerate 66,000 square feet per hour at 5 mph.

COMMERCIAL CONVENIENCE

Obstacles are no match for this aerator with six floating rotor heads that lift independently, three caster assemblies with floating cast iron tine rotor heads, and swivel casters.

QUICK-ATTACH SYSTEM

Easily attach with mount bar and two clevis pins.



GRANDSTAND® MULTI FORCE®

STAND-ON MOWER SPECIFICATIONS

ACCESSORIES"							
MODEL	DESCRIPTION						
137-4136	Caster Wheel Kit recommended for broom						
133-1437	Light Kit (48", 52" and 60" 2016 and newer)						
133-4603	Snow Tire (2016 and newer) (order 2 for a set)						
133-5386	Wheel Weight Kit (MULTI FORCE 2016 and newer) recommended for broom						
133-1437	Light Kit (48", 52" and 60" 2016 and newer)						
133-1495	Strobe Flasher Light Kit (2016 and newer)						
136-8350	EC Float Kit MULTI FORCE						
110-2026	Bagger Enhancement Kit - 36"						
110-2025	Bagger Enhancement Kit - 40"						
108-4091	Bagger Enhancement Kit - 48"						
107-1634	Bagger Enhancement Kit - 52" & 60"						
137-3920	Rubber Flap Kit - MULTI FORCE Broom						
137-3952	Broom Bristle Refill Kit						

MODEL	72529	72523				
POWER SYSTEM		:				
Engine [†]	26.5 hp Kohler® Command PRO® EFI 747cc					
Starter	Electric					
Heavy-Duty Canister Air Cleaner	Standard					
Drive Tires	20" x 10.5" - 8" (50.8 x 26.7 - 20.3 cm)					
Caster Tires	11" x 4" – 5" (27.9 x 10.1 – 12.7 cm) Flat-Free Semi-Pneumatic					
Fuel/Capacity	Gas/10.5 Gal (39.7 L)					
Digital Hour Meter	Standard					
Hydraulic Drive System	Unitized Pumps & Wh	eel Motors (no hoses)				
Maximum Forward Speed	10 mph (16.1 km/h)					
Clutch	Electromagnetic					
MOWING DECKS						
Deck Size	52" (132.1 cm)	60" (152.4 cm)				
Cutting Deck	7-Gauge TURBO FORCE®					
Bull-Nose Bumper	Standard					
Adjustable Discharge Baffle	Standard					
Rubber Discharge Chute	Stan	dard				
Deck Lift Design	Locking Spring Assist					
Spindle Housings	9 3/8" (23.8 cm) Diameter Cast Aluminum					
1" (2.5 cm) Heavy-Duty Spindle Shaft	Standard					
Spindle Bearings	Maintenance-Free					
Cutting Height	1.5" – 5.0" (3.8 – 12.7 cm)					
Blades	.25" (.6 cm) Heat-Treated Steel					
Blade Tip Speed	18,500+ ft/min					
Belt Construction	Aramid Fiber V-Belt					
Anti-Scalp Rollers	-	Standard				
Carrier Frame Construction	3" x 1.5" x 12-Gauge (7.6 cm x 3.8 cm x 12-Gauge)					
WEIGHTS AND MEASUREMENTS						
Weight	908 lbs. (411.9 kg)	941 lbs. (426.8 kg)				
Height	48" (121.9 cm) 48" (121.9 cm)					
Deck Width	54" (137.2 cm)	62" (157.5 cm)				
Deflector Width	68" (172.7 cm) 76" (193 c					
Length (Platform Up)	61" (154.9 cm)	65" (165.1 cm)				
Length (Platform Down)	75" (190.5 cm)	79" (200.7 cm)				

		COMPONENTS NEEDED								
MODEL	DESCRIPTION	BLOWER	BLADE	BROOM	DETHATCHER	AERATOR	LEAF PLOW	BAGGER	FLEET POINTS	FLEET DISCOUN
78593	Pro Force Blower	1							3	1
STB13567B	BOSS* Plow Blade		1						1	-
78596	Power Broom			1					3	1
78690	Tine Rake Dethatcher				1				1	-
78694	Hooker Aerator					1			1	-
78697	Leaf Plow						1		1	-
78524	GrandStand - Soft Twin Bagger Kit							✓	1	1
78574	E-Z Vac Blower & Drive Kit for 48" Deck							48"	1	1
78575	E-Z Vac Blower & Drive Kit for 52" Deck							52"	1	1
78576	E-Z Vac Blower & Drive Kit for 60" Deck							60"	1	1
MSC13960	Plow Side Mount Kit		1						-	-
MSC13950	Low Flow Hydraulics	1	1	1	1	1	1		1	1
78601	High Flow Hydraulics			1					1	1
136-0513	QUICK-ATTACH Kit - MULTI FORCE (2016 and newer)		1	1					-	-

^{*} MULTI FORCE® Boss Plow Freight Program (ships separately) 1 kit=\$100, 2-4 kits=\$75, 5 kits=\$50 ** Order through Parts